

Proteose Peptone N°3

Cat. 1607

Enzymatic digest of animal origin, source of nutrients for the cultivation of microorganisms.

Practical information

| Applications | Categories |
|-----------------|-------------|
| Nitrogen source | General use |

Industry: Fermentation / Culture media ingredients / Manufacturing process

Principles and uses

Proteose Peptone N° 3 is a high quality hydrolysate produced by the enzymatic digestion of animal tissues. It is widely used in culture media and has been used extensively in the manufacture of toxins, vaccines, enzymes and other biological products. This product provide nitrogen in a form that is readily available for bacterial growth

Physical-chemical characteristics

| Description | Specification | Typical Analysis |
|---------------------|---------------|------------------|
| Amino nitrogen (AN) | >3,4% | 4,35% |
| Total nitrogen (TN) | >10,0% | 12,42% |
| Loss on drying | <6% | 3,20% |
| AN/TN Ratio | N/A | 35,02% |
| Ash | <16 % | 8,20% |
| pH (2% solution) | 6,5-7,5 | 6,7 |

Amino acids

| | Total (g/100g) | | Total (g/100g) | | Total (g/100g) |
|---------------|----------------|---------------|----------------|---------------|----------------|
| Alanine | 3,48 | Glutamic Acid | 16,14 | Methionine | 1,77 |
| Phenylalanine | 3,56 | Glycine | 2,90 | Tyrosine | 1,58 |
| Proline | 6,95 | Histidine | 1,99 | Valine | 4,89 |
| Serine | 4,30 | Isoleucine | 3,83 | Arginine | 3,29 |
| Threonine | 3,57 | Leucine | 6,50 | Aspartic Acid | 6,69 |
| Tryptophan | 0,95 | Lysine | 5,95 | Cystine | 0,47 |

Growth supporting properties

| Descripción | Value |
|--------------|------------|
| Peptone agar | Good/Bueno |

Microbiological test

| Description | Specification |
|----------------------|---------------|
| Salmonella | Negative |
| Standard plate count | <5.000 CFU/g |
| Coliforms | Negative |
| Yeast and molds | <100 CFU/g |

Storage

Temp. Min.:2 °C
Temp. Max.:25 °C